



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/712,232

11/12/2003

Marko Torma

KOLS.061PA

9486

76385 7590 06/15/2009

Hollingsworth & Funk, LLC
8009 34th Avenue South
Suite 125
Minneapolis, MN 54425

EXAMINER

BIAGINI, CHRISTOPHER D

ART UNIT

PAPER NUMBER

2442

MAIL DATE

DELIVERY MODE

06/15/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/712,232	Applicant(s) TORMA, MARKO	
	Examiner Christopher Biagini	Art Unit 2442	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 April 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to the rejection of claims 16 and 20 under 35 USC 101 have been fully considered but are not persuasive. Applicant argues that the amendment to the specification "remove[s] an interpretation of the claimed media as including signals." The Examiner respectfully disagrees. In the previous action, the Specification was merely cited as an example of how the claims could be interpreted to encompass non-statutory subject matter. Although the claims are read in light of the specification, limitations from the specification are not read into the claims. The claims themselves remain unchanged, and the Specification still does not render the interpretation unreasonable.

Applicant's arguments with respect to the rejections of claims 1-32 under 35 USC 103(a) have been fully considered but are not persuasive.

In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). The SyncML specification teaches synchronization sessions and devices, and Hillyard teaches storing and checking role information in response to the need for initiating sessions.

In response to applicant's various arguments that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or

Art Unit: 2442

modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, Hillyard teaches at least one benefit of the combination. The modification allows devices whose interactions require client/server roles to communicate without needing to be pre-configured for those roles beforehand (see [0013]-[0014]).

In response to applicant's argument that "SyncML has not been shown to teach a device capable of functioning as both a synchronization client and synchronization server," the Examiner respectfully disagrees. SyncML, like Hillyard, recognizes that either of the two devices involved in a session may initiate the session (see section 1.2 on pages 7-8 and section 8 on page 48). The Examiner notes that SyncML uses the terms "client" and "server" somewhat differently than would be expected; SyncML "clients" and "servers" have specific responsibilities in the protocol, and thus the "SyncML server" may actually correspond to the claimed "synchronization client" when it initiates the session.

In response to applicant's argument that Hillyard "teaches away" from transmitting the claimed initialization message, the Examiner respectfully disagrees. Indeed, Hillyard shows exactly such a message in the very paragraphs to which Applicant points. Contrary to Applicant's assertion, paragraphs [0054]-[0055] do not teach "random" procedures, but very specifically indicate that the client wireless device, upon discovering that client was stored as the role information, "attempts to re-establish the connection by paging the server device."

Art Unit: 2442

In response to applicant's argument that Hillyard is nonanalogous art, it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, Hillyard is reasonably pertinent to the particular problem with which the applicant was concerned; namely, allowing devices whose interactions require client/server roles to communicate without needing to be *pre*-configured for those roles beforehand (see Hillyard, [0013]- [0014] and the instant specification, [0005]-[0006]). In other words, just as in the instant specification, the roles are configured upon the establishment of a first session. Applicant argues that "Hillyard addresses devices without any role information," but this is clearly and plainly not the case. Hillyard explicitly and repeatedly uses the term "role" to describe the information which indicates whether the client should act as a client or a server.

Regarding the argument that the combinations in various dependent claims do not show features of the independent claims, the Examiner respectfully disagrees for the reasons given above.

Regarding the argument that the combination of the SyncML specification, Hillyard, and Hawkins does not teach application-specific role information, the Examiner respectfully disagrees. The combination teaches role information as provided for in the independent claims, and Hawkins teaches, among other things, application-specific synchronization information (for example, synchronization "conduit libraries" which execute separately in order to synchronize information for specific applications). Thus, it would have been obvious to one of ordinary skill

Art Unit: 2442

in the art at the time of the invention to further modify the system described in the SyncML protocol to make the role information application-specific in order to prevent errors in one application's session from impacting another application's session.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claim 16 and 20 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

The claims are directed to a “computer readable medium encoded with a computer program,” and may be broadly but reasonably construed to encompass functional descriptive material on a transmission signal. Functional descriptive material encoded in a transmission signal is not a “process, machine, manufacture, or composition of matter” within the meaning of 35 USC 101, as it is not *structurally* and *functionally* interrelated to a computer readable medium. The medium must be capable of imparting functionally when employed as a computer component. See MPEP 2106.01.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

Art Unit: 2442

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 3, 4, 8-11, 13, 15-20, 22, 23, 25, 26, and 30-32 are rejected under 35 U.S.C.

103(a) as being unpatentable over the SyncML Sync Protocol Specification, version 1.0

(hereinafter “the SyncML specification”) in view of Hillyard (US Publication No.

2003/0027526).

Regarding claim 1, the SyncML specification shows a method comprising: establishing a first synchronization session (comprising a SyncML session: see section 4 on page 25) between a first synchronization device (comprising a mobile phone) and a second synchronization device (comprising a server: see section 1.2 on page 7).

The SyncML specification does not show:

- defining automatically based on the first synchronization session and storing role information on the first synchronization device, which indicates whether the first synchronization device should serve as a client or a sync server in at least one subsequent synchronization session,
- checking said role information for the first synchronization device in response to a need for initiating a second synchronization session between the first synchronization device and the second synchronization device, and
- initiating the second synchronization session from the first synchronization device in accordance with said role information, wherein a client initialization message to initiate the second synchronization session with a synchronization server is transmitted from the first synchronization device in response to synchronization

Art Unit: 2442

client being defined in the role information as the role of the first synchronization device or a server initialization message to initiate the second synchronization session with a synchronization client is transmitted from the first synchronization device in response to synchronization server being defined in the role information as the role of the first synchronization device.

Hillyard shows:

- defining automatically based on a first session (comprising the session which first establishes a link) and storing role information (comprising client/server role information: see paragraph [0039] and [0057]-[0058]) on a first device, which indicates whether the first device should serve as a client or a server in at least one subsequent session (see paragraph [0054]),
- checking said role information for the first device in response to a need for initiating a second session between the first device and the second device (comprising determining if role information is stored and the nature of the role information: see paragraph [0055]), and
- initiating the second session from the first device in accordance with said role information, wherein a client initialization message to initiate the second session with a server is transmitted from the first device in response to client being defined in the role information as the role of the first device (comprising the device initiating a request to the server if the device previously acted in the role of a client: see paragraph [0055]).

Art Unit: 2442

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system described in the SyncML specification to use the client/server negotiation taught by Hillyard. Such an arrangement would allow SyncML devices that are peers (that is, devices for which there are no clear, pre-configurable choices for client and server) to successfully connect. See Hillyard, paragraphs [0013]-[0014].

Regarding claim 3, the combination further shows wherein a client initialization message for initiating the first synchronization session is transmitted from the first synchronization device to the second synchronization device (comprising client inquiries, which are sent periodically: see paragraphs [0013] and [0056]), and:

- an acknowledgement is received from the second synchronization device (comprising an inquiry response: see step 718 and [0057]),
- in response to receiving the acknowledgement, synchronization client is stored during the role information storing step for the first synchronization device (see step 728 and [0057]).

Regarding claim 4, the combination further shows wherein the role information is associated with the second synchronization device on the basis of the identifier (comprising the address) of the second synchronization device (see paragraph [0039]), and

the role information associated with the identifier of the second synchronization device is searched from the stored role information in the first synchronization device in response to a

Art Unit: 2442

need to initiate a second synchronization session with the second synchronization device (see paragraph [0054]).

Regarding claim 8, the combination further shows wherein storing mapping information describing the sameness of data items only on the device, the role of which is synchronization server (see the SyncML specification, section 2.3 on page 12).

Regarding claim 9, the combination further shows wherein the data being synchronized is user data (comprising a calendar: see the SyncML specification, section 2.6.2 on page 14).

Regarding claim 10, the combination further shows wherein the first synchronization device and the second synchronization device support the SyncML standard (see the SyncML specification, section 1.2 on page 7).

Regarding claim 17, the combination further shows wherein a role is selected for the first synchronization device for the second synchronization session on the basis of said role information; and the second synchronization session is initiated from the first synchronization device in accordance with the selected role (see Hillyard, paragraph [0014]).

Claims 11, 13, 16, and 23 correspond to claim 1 and are rejected for the reasons provided above.

Art Unit: 2442

Claims 15, 18-20, 22, 23, 25, 26, 30, and 31 correspond to claims 3, 4, 6, 8, 9, 10, and 17 and are rejected for the reasons provided above.

Regarding claim 32, the combination shows the limitations of claim 23 as described above, and further shows wherein the apparatus is a mobile station (comprising a mobile phone: see section 1.2 on page 7 of the SyncML specification).

Claims 2, 14, 21, and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over the SyncML specification in view of Hillyard (US Publication No. 2003/0027526), and further in view of Wallbeck.

The combination further shows:

- wherein a client initialization message for initiating the first synchronization session is transmitted from the first synchronization device to the second synchronization device (comprising client inquiries, which are sent periodically: see Hillyard, paragraphs [0013] and [0056]);
- that errors can occur during the notification process (see Hillyard, step 720 in Fig. 7 and paragraph [0058]),
- receiving error messages when errors occur during the notification process (see the SyncML specification, item 2 on page 29),
- when establishing a server role, a server initialization message is transmitted from the first synchronization device to the second synchronization device (comprising a response to inquiry: see paragraphs [0047] and [0058]; and

Art Unit: 2442

- synchronization server is stored during the role information storing step as the role information for the first synchronization device (see step 740 and paragraph [0058])

The combination does not show that a server role is established upon an error. Rather, in the proposed combination, the negotiation process merely restarts (see Hillyard, Fig. 7).

Wallbeck shows establishing a server role upon an error (the error comprising that another device will not assume the necessary server role in a communication session: see paragraph [0026]). It would have been obvious to one of ordinary skill in the art at the time of the invention to further modify the system described in the SyncML protocol to have the first device immediately assume a server role in order to save time that would otherwise be wasted on restarting the negotiation process.

Claims 5 and 27 are rejected under 35 USC 103(a) as being unpatentable over the SyncML specification in view of Hillyard (US Publication No. 2003/0027526), and further in view of Hawkins et al. (US Patent No. 5,884,323, hereinafter "Hawkins").

The combination shows the limitations of claims 1 and 23 as described above, but does not show wherein said role information is application-specific so that separate role information is stored in the device for each application and/or application profile in the device.

Hawkins shows storing application-specific synchronization information so that separate information is stored in a device for each application (see col. 3, lines 5-17; and col. 6, lines 32-48). It would have been obvious to one of ordinary skill in the art at the time of the invention to further modify the system described in the SyncML protocol with the application-specific

Art Unit: 2442

synchronization information taught by Hawkins in order to prevent errors in one application's session from impacting another application's session.

Claims 6 and 28 are rejected under 35 USC 103(a) as being unpatentable over the SyncML specification in view of Hillyard (US Publication No. 2003/0027526), and further in view of Dresevic (US Pub. No. 2001/0056442).

The combination shows the limitations of claims 1 and 23 as described above, but does not show wherein the default value of said role information is synchronization client, and the role information is not stored if synchronization client is defined as the role of the device.

Dresevic shows assigning a default values to a setting, and not storing information if the default value is set (see [0107]). It would have been obvious to one of ordinary skill in the art at the time of the invention to further modify the system described in the SyncML specification to not store role information if synchronization client is defined as the role of the device in order to conserve memory in the device (see Dresevic, [0107]).

Claims 7, 12, and 29 are rejected under 35 USC 103(a) as being unpatentable over the SyncML specification in view of Hillyard (US Publication No. 2003/0027526), and further in view of Flanagan et al. (US Patent No. 6,272,545, hereinafter "Flanagan").

The combination shows the limitations of claims 1, 11, and 23 as described above, but does not show wherein said role information is stored in a third device that is other than said first or second device.

Art Unit: 2442

Flanagin shows storing role information on a third device that is other than a first or second synchronization device (see col. 3, line 54-61).

It would have been obvious to one of ordinary skill in the art at the time of the invention to further modify the system described in the SyncML specification with the off-device storage taught by Flanagin in order to relieve individual devices of the burden of storing role information.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher Biagini whose telephone number is (571) 272-9743. The examiner can normally be reached on weekdays from 8:30 AM to 5:00 PM..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Caldwell can be reached on (571) 272-3868. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2442

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Andrew Caldwell/
Supervisory Patent Examiner, Art Unit
2442

Christopher Biagini
(571) 272-9743